



autosomal dominant vitreoretinopathopathy

Autosomal dominant vitreoretinopathopathy (ADVIRC) is a disorder that affects several parts of the eyes, including the clear gel that fills the eye (the vitreous), the light-sensitive tissue that lines the back of the eye (the retina), and the network of blood vessels within the retina (the choroid). The eye abnormalities in ADVIRC can lead to varying degrees of vision impairment, from mild reduction to complete loss, although some people with the condition have normal vision.

The signs and symptoms of ADVIRC vary, even among members of the same family. Many affected individuals have microcornea, in which the clear front covering of the eye (cornea) is small and abnormally curved. The area behind the cornea can also be abnormally small, which is described as a shallow anterior chamber. Individuals with ADVIRC can develop increased pressure in the eyes (glaucoma) or clouding of the lens of the eye (cataract). In addition, some people have breakdown (degeneration) of the vitreous or the choroid.

A characteristic feature of ADVIRC, visible with a special eye exam, is a circular band of excess coloring (hyperpigmentation) in the retina. This feature can help physicians diagnose the disorder. Affected individuals may also have white spots on the retina.

Frequency

ADVIRC is considered a rare disease. Its prevalence is unknown.

Genetic Changes

ADVIRC is caused by mutations in the *BEST1* gene. The protein produced from this gene, called bestrophin-1, is thought to play a critical role in normal vision. Bestrophin-1 is found in a thin layer of cells at the back of the eye called the retinal pigment epithelium. This cell layer supports and nourishes the retina and is involved in growth and development of the eye, maintenance of the retina, and the normal function of specialized cells called photoreceptors that detect light and color. In the retinal pigment epithelium, bestrophin-1 functions as a channel that transports charged chlorine atoms (chloride ions) across the cell membrane.

Mutations in the *BEST1* gene alter how the gene's instructions are used to make bestrophin-1, which leads to production of versions of the protein that are missing certain segments or have extra segments. It is not clear how these versions of bestrophin affect chloride ion transport or lead to the eye abnormalities characteristic of ADVIRC. Researchers suspect that the abnormalities are related to defects in the retinal pigment epithelium or the photoreceptors.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. In most cases, an affected person has one parent with the condition.

Other Names for This Condition

- ADVIRC
- vitreoretinopath dominant
- vitreoretinopath with microcornea, glaucoma, and cataract
- vitreoretinopath, autosomal dominant, with nanophthalmos

Diagnosis & Management

These resources address the diagnosis or management of autosomal dominant vitreoretinopath:

- American Foundation for the Blind: Living with Vision Loss
<http://www.afb.org/info/living-with-vision-loss/2>
- Genetic Testing Registry: Vitreoretinopath
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1860406/>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Eye Diseases
<https://medlineplus.gov/eyediseases.html>

Genetic and Rare Diseases Information Center

- Vitreoretinopathies: Vitreoretinopathies dominant
<https://rarediseases.info.nih.gov/diseases/5507/vitreoretinopathies-dominant>

Additional NIH Resources

- National Eye Institute: Diagram of the Eye
<https://nei.nih.gov/health/eyediagram/>

Educational Resources

- Disease InfoSearch: Vitreoretinopathies dominant
<http://www.diseaseinfosearch.org/Vitreoretinopathies+dominant/7409>
- MalaCards: vitreoretinopathies dominant
http://www.malacards.org/card/vitreoretinopathies_dominant
- Orphanet: Autosomal dominant vitreoretinopathies
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=3086
- Prevent Blindness: The Eye and How We See
<http://www.preventblindness.org/eye-how-we-see>
- University of Arizona College of Medicine: Vitreoretinopathies
<http://disorders.eyes.arizona.edu/disorders/vitreoretinopathies>

Patient Support and Advocacy Resources

- Foundation Fighting Blindness
<http://www.blindness.org/>
- Prevent Blindness: Living Well with Low Vision
<http://lowvision.preventblindness.org/>

Genetic Testing Registry

- Vitreoretinopathies
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1860406/>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28autosomal+dominant+vitreoretinopathies%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

OMIM

- VITREORETINOCHOROIDOPATHY
<http://omim.org/entry/193220>

Sources for This Summary

- Burgess R, MacLaren RE, Davidson AE, Urquhart JE, Holder GE, Robson AG, Moore AT, Keefe RO, Black GC, Manson FD. ADVIRC is caused by distinct mutations in BEST1 that alter pre-mRNA splicing. *J Med Genet*. 2009 Sep;46(9):620-5. doi: 10.1136/jmg.2008.059881. Epub 2008 Jul 8.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18611979>
 - Vincent A, McAlister C, Vandenhoven C, Héon E. BEST1-related autosomal dominant vitreoretinopathopathy: a degenerative disease with a range of developmental ocular anomalies. *Eye (Lond)*. 2011 Jan;25(1):113-8. doi: 10.1038/eye.2010.165. Epub 2010 Nov 12.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21072067>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3144636/>
 - Yardley J, Leroy BP, Hart-Holden N, Lafaut BA, Loeys B, Messiaen LM, Perveen R, Reddy MA, Bhattacharya SS, Traboulsi E, Baralle D, De Laey JJ, Puech B, Kestelyn P, Moore AT, Manson FD, Black GC. Mutations of VMD2 splicing regulators cause nanophthalmos and autosomal dominant vitreoretinopathopathy (ADVIRC). *Invest Ophthalmol Vis Sci*. 2004 Oct;45(10):3683-9.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15452077>
-

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/autosomal-dominant-vitreoretinopathopathy>

Reviewed: November 2014

Published: February 14, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services